Fout! Bladwijzer niet gedefinieerd.



f. fertilization

1. Variety name :	AMARANTHUS cruentus Qis® Green Tower
2. Description : Distinct green compact flowerspikes used very fast growing variety.	d both fresh and dried in mixed bouquets. A
3. General a. colors b. height c. life cycle d. weight of 1000 seeds e. time sowing/flowering f. family g. hardiness zone	dark red 100-150 cm annual 0,8 gr 12 weeks Amaranthaceae
4. Sowing instructions : a. method : b. time : c. temperature : d. germination time : e. seed quantity or plants per m² :	direct seeding outdoors: April-June under cover/cold greenhouse: February-July 20°C 6-14 days 0,1 gr per running meter. Sow thickly in order to avoid excessive stem width.
5. Growing on : a. distance between rows and/or plants : b. soil : c. irrigation : d. optimum temperature e. diseases/pests :	30 cm between rows, 5 cm between plants any well-drained, not too fertile soil overhead irrigation can be used until flowerheads appear 15-22°C due to dense growth, Botrytis can occur in final stade of development. Preventively a fungicide can be

used.

advised.

: Amaranthus grows easily too wild. However, to maintain growth N-P-K fertilizer with low N-level is

code: 0350.5800

Fout! Bladwijzer niet gedefinieerd.

6. General advice

a. cutting period : July-September

b. cutting stage : when the spikes are for at least 1/3 in flower

c. general : successive crops possible when sown at intervals;