Eustoma russellianum F1

Lisianthus from Evanthia

- Elegant flowers with sturdy stems and sufficient length
- High quality series in a broad spectrum of colours
- Active breeding and continuous development of the product range







Elegant flowers, sturdy stems with sufficient length, masses of flowers and buds in the top and a great durability. With Lisianthus of Evanthia you can count on excellent genetics and promising, continuous development of our product range. With many years of experience we are here to guide you on your variety selection and cultivation journey. Our Lisianthus range of Evanthia genetics covers Lisianthus groups 2 and 3. With assimilation lighting, our Lisianthus series can be grown all year round. Check our website for complementary series to create a year-round programme for any climate or cultivation method.

Group II: Planting from late winter to mid spring.

Harvest from mid spring to early summer.

Groep II-III: Planting from late winter to early summer.

Harvest from mid spring to autumn.

Group III: Planting from mid spring to early summer.

Harvest during the summer months into autumn.

Flower profile:

Genus & species: Eustoma russellianum F1 Usage: Ornamental; commercial cut flowers,

Family: Gentianaceae **Stem length:** 80 to 90 cm


Common name: Lisianthus Starting material: Raw and pelleted seed

LisAdora collection

ALL NEW! This lovely Lisianthus LisAdora® is a true gift from the heart. This NEW top collection by Evanthia offers beautiful varieties that all ooze tenderness and luxury, yet all are very robust and resilient. The rich, well-filled double flowers have solid flower petals with an extraordinary hardiness, making the LisAdora® varieties less susceptible to Botrytis and hold up well in transport and in the vase. In addition, LisAdora® is a collection of special and uniquely coloured varieties that really add something to the established Lisianthus range. The LisAdora® varieties are in Lisianthus group III.







Evanthi series

With the Lisianthus Evanthi series, Evanthia has succeeded in developing a series that is considerably less sensitive to Botrytis. With firm petals, optimal branching in the top of the stem and ideal positioning of flowers and buds, the robust Evanthi series has proven itself. Evanthi Purple is a group II-III Lisianthus. Bright coloured varities with double flowers, sturdy stems and an excellent vase life.



Evanthi Purple II-III



Evanthi White Wink III



Evanthi Yellow II



Minilisi series

Great value comes in small packages... Lisianthus Minilisi® is a surprising series with a colourful spectrum of very rich, smallflowered varieties. Each branch offers a well-filled cluster of flowers and buds. The smaller flower size is well compensated by the abundance of flowers and buds. There is certainly no lack of colour! Besides the great flowering power, the flowers themselves are very strong and the varieties are highly uniform. Minilisi® is a group II Lisianthus series. Discover all single and double flowered varieties of the Minilisi® series.



Minilisi[®]
Blue Double II



Blue Single II



Pink Single II



Rose Double II



Rose Single II



White Single II

Specialties



Single-flowered with a unique intense pink/red shade and gracious, wavy petals. Group III variety.

Single-flowered with a beautiful colour gradient of white and pink/red flower edges. Group III variety.

Single-flowered with a beautiful colour gradient of white and pink/red flower edges. Group III variety.



Eustoma russellianum F1 — Cultivation manual

Cut flower culture

Culture location: greenhouse

Sowing method TP

Sowing season yearround (greenhouse)

Germ temp. * 20-22°C (68-72°F) **Growing temp.** 20-24°C (68-75°F)

Plug crop time 11 - 13 weeks

Crop duration

10-12 weeks from planting (summer). 14-18 weeks from planting (winter).

Seed requirement

1250 seeds for 1000 plants

Pests/diseases

Aphids, leaf miners, thrips, whitefly, caterpillars. Botrytis, Phytophtora, Fusarium, false mildew, Rhizoctonia, Sclerotinia. Preventative treatment is advised

Fertilization (f)

Normal to high requirement. Fertilize regularly with calcium nitrate-based fertilizer at 100-200 ppm N, 1.5 EC. Discontinue fertilizer applications when buds become visible.

Cultivation tips

- * For optimum emergence and quality the seed trays are placed in a cool cell at 5-8°C (41-46°F) for 3 weeks
- Soil should be decontaminated (steam) before planting.
- Note: seedlings are very slow to grow; prevent algae growth over the trays.

Sowing details

Pre-sow and transplant (TP):

Initial sowing media: pH 6,5-7.2 and

EC 0.8-1.0 mmhos/cm
Sow: 1 seed/plug (406 cell tray)
Cover: no or light cover with fine

vermiculite

Days 1 - 21*

Place the trays in a cool cell at 5-8°C for approx. 3 weeks (m) moist

(t) 5-8°C (41-46°F)

(f) < 100 ppm N, < 0.7 EC

Avoid high temperatures after emergence (> 28°C (82°F)) in group I and II in order to avoid rosetting and causing stunted young plants

Days 22 - 35

(m) moist

(t) 20-22°C (68-72°F)

(I) 11.000-27.000 lux (1000-2500 fc)

(f) 100-175 ppm N, 0.7-1.2 EC

Days 36 - 70

(m) normal

(t) 17-20°C (63-68°F)

(I) 27.000-54.000 lux (2500-5000 fc)

(f) 75-225 ppm N, 1.2 -1.5 EC

Days 71 - 77

Seedlings should have 4 true leaves. Timely transplant will ensure an active root system. Transplant of older plugs may cause shorter stems and premature flowering.

Notes

- Irrigate the soil prior to planting, and see to it that the plugs are well-moistened.
- Crop time depends on series, season, temperature, (HID) lighting and greenhouse conditions.

Growing on

Soil/media

well-drained, light, fertile soil pH 6,5-7.2, 0.8-1.0 EC

Netting

One or two layers netting are advised.

Pinching

Optional. Pinch after second leaf pair when plants start to elongate.

Plants density

Non-pinched: 65-86 plants/ m² (6-8 plants/ft²).

Pinched: 32-40 plants/m² (3-4 pl/ft²)

Moisture (m)

Dry only slightly between water supply.

Switch to drip irrigation when foliage grows. Soil should not dry out when plants start flowering.

Temperature (t)

Day: 20-24°C (68-75°F). Night: 16-18°C (60-65°F). Provide good air circulation. Avoid low light levels and excessive humidity (optimum RH is 80%).

Light (1)

Facultative long day. > 14 hours will accelarate flowering. Full sun produces shorter stems. Shade when necessary (especially in the first two weeks after planting).

Harvest

Harvest when 2 or 3 flowers are open. Harvest in the morning when still cool. Lisianthus is not ethylene sensitive.

For post harvest treatments, see: www.vbn.nl/en/list-pre-treatments/

This information is for general guidance only, and is in some cases specific for North European conditions. No guarantee is given for the result of the crop, nor is liability accepted for the consequences of applying the indications given.

